



Immediate: 8 September 2014

Advanced Lead-Acid Battery Consortium focused on 48V hybrid vehicles at European Lead Battery Conference

The Advanced Lead-Acid Battery Consortium (ALABC) will focus on the affordable 48V 'intelligent electrification' of next generation hybrid vehicles at the 14th European Lead Battery Conference (14ELBC). This new class of hybrid aims to keep the cost down and the voltage below the critical 60 volt safety threshold. Organised by the International Lead Association (ILA), the conference and exhibition is being held this week from 9-12 September 2014 in Edinburgh, Scotland.

"Recent work and results in the design of a new class of low voltage hybrid vehicle will help reduce carbon emissions and bring about major improvements in fuel efficiency," says ALABC European projects coordinator Allan Cooper, who also works with the event's organising committee. "This can be achieved using advanced lead-carbon batteries, which currently provide the most cost effective solution for the automotive industry. New data will be published at ELBC on the use of higher levels of carbon in the negative active mass, a development which is resulting in much improved battery performance."

A keynote presentation on 'Global Warming and Lead-Carbon Batteries' to be delivered by Pat Moseley, president emeritus ALABC and co-author of a new book entitled 'Towards Sustainable Road Transport', will outline the state of the art in advanced energy storage systems and their impact on vehicle design.

As immediate past president of this international research organisation, Moseley has been at the helm of ALABC overseeing more than two decades of development leading to the breakthrough lead-carbon battery technology, which is now at a high level of manufacturing readiness for forthcoming 48V hybrid vehicle applications.

"We can meet the vehicle OEM cost target of \$250/kWh as an alternative to more expensive lithium-ion batteries," says Moseley. "Moreover, a technical advantage of high power lead-carbon batteries is their ability to handle the high rate partial state-of-charge cycling requirements of 48V hybridisation, thereby maximising the use of fast acting kinetic and thermal energy recovery systems in these vehicles."

The new battery technology has already been applied to the LC Super Hybrid programme, which includes both 12V stop-start and 48V hybrid demonstrator vehicles. A technical paper delivered by Allan Cooper, will be complemented by a presentation entitled 'Addressing Market Demands for an

Affordable Hybrid System Solution' delivered by Nick Pascoe chief executive and Paul Bloore product validation manager at Controlled Power Technologies. Both presentations will be delivered in a conference session entitled 'Lead Batteries for Low Emission Vehicles'.

Technology partners ALABC and CPT are also working closely with AVL, which has helped to build the LC Super Hybrid demonstrators. Carsten Kaup manager hybrid and electric powertrain systems at AVL Schrick GmbH will present a complementary paper entitled 'A 48V Diesel Hybrid with Lead-Acid Batteries is not a Contradiction: It is Reality' which discusses a new 48V Kia diesel hybrid scheduled for display at the forthcoming Paris Motor Show in October – again utilising advanced lead carbon batteries. The Kia development team behind the mild hybrid powertrain selected lead-carbon batteries over lithium-ion equivalents as they require no active cooling, are more easily recyclable at the end of the vehicle's life and can function much more efficiently in sub-zero temperatures.

And on the same theme, Philip Williams, principal engineer for hybrid vehicles at Ricardo, and project manager for the Advanced Diesel Electric Powertrain project known as ADEPT, will provide a mid-term report 'on the potential for 48V based intelligent electrification in delivering full hybrid-scale fuel efficiency from a highly cost-effective package'. The ADEPT research team – led by Ricardo and including Ford Motor Company, Controlled Power Technologies, the European Advanced Lead Acid Battery Consortium, Faurecia and the University of Nottingham – has recently completed the build of the first functional integration prototype.

Based on a Ford Focus, this ADEPT prototype incorporates a 48V electrical architecture, a SpeedStart 10kW (later to be upgraded to 12.5kW) belt integrated starter generator and TIGERS turbine integrated exhaust gas energy recovery system, both switched reluctance machines supplied by CPT, with an advanced lead carbon battery pack provided by ALABC.

"The universal application of 48V technology to the global vehicle parc would help significantly reduce annual CO₂ emissions from the automotive and transport sector," says Cooper.

Altogether, the 14ELBC conference will deliver 64 presentations, and selected texts will be published in an edition of the Journal of Power Sources edited by Pat Moseley.

About the European Lead Battery Conference (ELBC)

This international conference and exhibition brings together more than 650 key technical, manufacturing, marketing, R&D personnel and users to discuss and examine the strategic, technical and commercial issues of greatest importance to the lead-acid battery industry.

By addressing the need for more efficient and widespread energy storage, particularly in the context of increasing global energy costs and fears of climate change, it places high priority on reducing vehicle carbon emissions. In recent years, it has reported on major advances in the design, performance, manufacture and efficient recyclability of lead batteries, which have resulted in significant market growth with new and important applications. For further information please visit www.ila-lead.org/conferences/14elbc

About the European Advanced Lead Acid Battery Consortium

The European Advanced Lead-Acid Battery Consortium (EALABC) is the London-based arm of its parent Advanced Lead-Acid Battery Consortium (ALABC) international research and development organisation based in North Carolina. Formed in 1992, the ALABC is dedicated to enhancing the capabilities and competitiveness of the lead-acid battery in various energy storage markets. These markets include telecommunications, remote area power supply (RAPS), 12V micro-hybrid stop-start systems, 48V mild hybrids with their torque assist and regeneration energy capabilities, as well as full hybrid vehicle applications. For further information please visit www.alabc.org.


Media contacts:

European Advanced Lead-Acid Battery Consortium (EALABC) and LC Super Hybrid project -- Rob Palmer on +44 7768 242761 or +44 1582 763255 or rpalmer@palmerpr.com (Rob Palmer also handles media enquiries for Controlled Power Technologies).


Advanced Lead-Acid Battery Consortium (ALABC) -- Chip Bremer on +1 919-810-1353 (direct) or +1 919-361-4647 x3033 or cbremer@ilzro.org

International Lead Association (ILA) -- communications manager Bob Tolliday on +44 20 7833 8090 or Tolliday@ila-lead.org

Images of the ADEPT demonstrator are available from the Ricardo press office. Images of future generation Kias with 48V mild hybrid technology are available from the Kia press office. High resolution images of the following thumbnails are available from Rob Palmer or can be downloaded at www.newspress.co.uk ...




Pic 1 -- LC Super Hybrid programme includes 12V micro-hybrid and 48V demonstrator vehicles featuring advanced lead carbon batteries provided by ALABC



Future generation Kias to be available with Mild Hybrid versions
 04/03/14 For further information please call 01932 832073, email pressoffice@kia.co.uk or visit www.kiapressoffice.com
 Follow Kia at www.facebook.com/kiamotorsuk and watch Kia at www.youtube.com/kiamotorsuk © Copyright free for editorial purposes only

Pic 2 -- Developed by Kia's European R&D centre, its 'future technology' diesel hybrid system employs a 48 volt lead-carbon battery, which powers a small electric motor to increase the engine's output and cut exhaust emissions. Kia's mild hybrid system will enable a car to be driven in an electric-only mode at low speeds and when cruising, while the battery is recharged under deceleration at all speeds. The Valeo electric supercharger was developed in the UK by Controlled Power Technologies.



Pic 3 -- High power density lead-carbon batteries can meet the constant charging and discharging requirements of a low voltage hybrid electric vehicle. In this example from Exide, each of its Orbital spiral wound cells is enhanced with added carbon in the negative active material.